

**CURLMOPT\_CONTENT\_LENGTH\_PENALTY\_SIZE(3)** *(CURLMOPT\_CONTENT\_LENGTH\_PENALTY\_SIZE(3))*

## NAME

CURLMOPT\_CONTENT\_LENGTH\_PENALTY\_SIZE – size threshold for pipelining penalty

## SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLMcode          curl_multi_setopt(CURLM             *handle,          CURLMOPT_CON-
TENT_LENGTH_PENALTY_SIZE, long size);
```

## DESCRIPTION

Pass a long with a **size** in bytes. If a pipelined connection is currently processing a request with a Content-Length larger than this *CURLMOPT\_CONTENT\_LENGTH\_PENALTY\_SIZE(3)*, that pipeline will then not be considered for additional requests, even if it is shorter than *CURLMOPT\_MAX\_PIPELINE\_LENGTH(3)*.

## DEFAULT

The default value is 0, which means that the size penalization is inactive.

## PROTOCOLS

HTTP(S)

## EXAMPLE

TODO

## AVAILABILITY

Added in 7.30.0

## RETURN VALUE

Returns CURLM\_OK if the option is supported, and CURLM\_UNKNOWN\_OPTION if not.

## SEE ALSO

**CURLMOPT\_PIPELINING(3)**, **CURLMOPT\_CHUNK\_LENGTH\_PENALTY\_SIZE(3)**,